

The image features a central product shot of the SpaceTraveler device, a small cylindrical unit with a grey top and a blue ring. A red line with three circular icons (a curved arrow, a straight arrow, and a square arrow) extends from the device. In the background, a hand is shown using a computer mouse, and a laptop is partially visible on the right side of the frame. The overall aesthetic is clean and professional, with a focus on the product's design and its application in a 3D environment.

SpaceTraveler™

Navigate Your 3D World™

Portable. Affordable. Simply incredible.

Say goodbye to the tedious, repetitive motions required by using a mouse alone. With the award-winning SpaceTraveler™, you can accelerate your productivity. Six optical sensors give you the freedom to pan, zoom and rotate simultaneously 3D models or scenes with SpaceTraveler while editing with your mouse. You'll click 50% less and be 30% more productive.

Fit to Fly.

SpaceTraveler's tiny footprint fits easily on a tray table and its light weight won't be a burden in your computer bag. So you can use it at work, at home, or even on the plane. Plus, with its handsome Italian leather case, it goes everywhere you go—in style.

8 programmable function keys.

Unlimited possibilities.

SpaceTraveler's eight illuminated, programmable function keys let you launch the commands you use most often in your favorite applications with a single touch.

Fits any budget, too.

SpaceTraveler is ideal for use with any viewer or as a mobile alternative to the high-end 3D navigation devices of 3Dconnexion.

Partial list of the 100+ supported applications

Design & Modeling

- AutoCAD
- Autodesk Inventor
- CATIA
- Google SketchUp
- Pro/ENGINEER
- NX
- Solid Edge
- SolidWorks

Digital Content Creation

- Autodesk 3ds Max
- Autodesk AliasStudio
- Autodesk Maya
- form•Z
- SOFTIMAGE|XSI

Visualization Tools

- Google Earth
- Autodesk DWF Viewer
- Autodesk Design Review
- SolidWorks eDrawings
- Dassault Systemes XML player
- 3Dconnexion Picture Viewer

Visit www.3dconnexion.com for a complete listing of supported applications.

Simply push, pull, twist and tilt the controller cap for responsive control.



Pan Right/Left



Pan Up/Down



Tilt



Spin



Roll



Zoom In/Out

Specifications

Navigation control	Advanced 6 degrees-of-freedom optical sensor
Device speed	Adjustable to preference
Function keys	8 (programmable)
Interface type	USB
Weight	230 g
Dimensions	46 x 46 x 43 mm (L x W x H)
Warranty	2 years
EMC & safety standards	FCC, CE, VCCI, MIC, PCT, BSMI, TUV, UL/CSA

System Requirements

- Intel Pentium 4/III or AMD/Athlon processor based system or greater
- Windows: 140 Megabytes free disk space for driver and plug-in installation
- UNIX/Linux: 2 Megabytes free disk space for driver installation
- USB 1.1 or 2.0

Operating Systems Supported

- Windows Vista (x86/x64)
- Windows XP (x86/x64)
- Windows 2000
- UNIX (HP-UX 11, IBM AIX 5.2, Sun Solaris 8 or higher)
- Linux (Redhat Enterprise Linux WS 3, SuSE 9.0 or higher)

UK & Ireland

3Dconnexion
T: 01952 24 36 29
F: 01952 25 10 58
E: uksales@3dconnexion.com

Educational

shop.3dconnexion.eu

Northern Europe

3Dconnexion
T: +44.1242.243 440
F: +44.1242.243 445
E: nesales@3dconnexion.com

EMEA

3Dconnexion GmbH
Seefeld, Germany
T: +49 (0) 8152 9919 0
F: +49 (0) 8152 9919 50
E: info@3dconnexion.com

Americas

3Dconnexion, Inc.
San Jose, CA
T: +1.408.376.2500
F: +1.408.376.2525
E: info@3dconnexion.com



3Dconnexion
A LOGITECH COMPANY