



# SpaceExplorer™

Navigate Your 3D World™

## **High-End Capabilities. Mid-Range Price.**

3Dconnexion's SpaceExplorer™ is the hands-down winner when it comes to comfortable and intuitive 3D navigation devices for design professionals.

Push, pull, tilt or twist the SpaceExplorer's controller cap to simultaneously pan, zoom and rotate 3D objects and environments. Featuring an array of easy-to-reach function keys labelled and pre-programmed with commands from leading design applications, SpaceExplorer's advanced ergonomics offer 3D designers high-end performance at a mid-range price.

## **50% fewer mouse clicks. 30% greater productivity.**

Using SpaceExplorer together with a mouse engages both your hands in a natural, intuitive work style. One hand drives the SpaceExplorer, positioning your model, then rotating, panning and zooming in one single, fluid motion. Your mouse hand can simultaneously edit the model or select menu items.

## Partial list of the 100+ supported applications

### Design & Modeling

- AutoCAD
- Autodesk Inventor
- CATIA
- Google SketchUp
- Pro/ENGINEER
- NX
- Solid Edge
- SolidWorks

### Digital Content Creation

- Autodesk 3ds Max
- Autodesk AliasStudio
- Autodesk Maya
- form•Z
- SOFTIMAGE|XSI

### Visualization Tools

- Google Earth
- Autodesk DWF Viewer
- Autodesk Design Review
- SolidWorks eDrawings
- Dassault Systemes XML player
- 3Dconnexion Picture Viewer

Visit [www.3dconnexion.com](http://www.3dconnexion.com) for a complete listing of supported applications.

Simply push, pull, twist and tilt the controller cap for responsive control.



### Specifications

<b>Navigation control</b>	Advanced 6 degrees-of-freedom optical sensor
<b>Device speed</b>	Adjustable to preference
<b>Function keys</b>	15 (programmable)
<b>Interface type</b>	USB or serial (serial supports UNIX/Linux only)
<b>Weight (incl. Cable)</b>	593 g (USB), 619 g (serial)
<b>Dimensions</b>	194 x 139 x 58 mm (L x H x W)
<b>EMC &amp; safety standards</b>	FCC, CE, VCCI, RRL, WHQL, CTICK, UL

### System Requirements

- Intel Pentium 4/III or AMD/Athlon processor based system or greater
- Windows: 140 Megabytes free disk space for driver and plug-in installation
- UNIX/Linux: 2 Megabytes free disk space for driver installation
- USB 1.1 or 2.0

### Operating Systems Supported

- Windows Vista (x86/x64) - only USB
- Windows XP (x86/x64) - only USB
- Windows 2000 - only USB
- UNIX (HP-UX 11, IBM AIX 5.2, Sun Solaris 8 or higher)
- Linux (Redhat Enterprise Linux WS 3, SuSE 9.0 or higher)

### UK & Ireland

3Dconnexion  
T: 01952 24 36 29  
F: 01952 25 10 58  
E: [uksales@3dconnexion.com](mailto:uksales@3dconnexion.com)

### Educational

[shop.3dconnexion.eu](http://shop.3dconnexion.eu)

### Northern Europe

3Dconnexion  
T: +44.1242.243 440  
F: +44.1242.243 445  
E: [nesales@3dconnexion.com](mailto:nesales@3dconnexion.com)

### EMEA

3Dconnexion GmbH  
Seefeld, Germany  
T: +49 (0) 8152 9919 0  
F: +49 (0) 8152 9919 50  
E: [info@3dconnexion.com](mailto:info@3dconnexion.com)

### Americas

3Dconnexion, Inc.  
San Jose, CA  
T: +1.408.376.2500  
F: +1.408.376.2525  
E: [info@3dconnexion.com](mailto:info@3dconnexion.com)

